

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

A
CATALOGUE

OF

*Kitchen Garden Seeds and Plants ; Physical Seeds and
Plants ; and Seeds to Improve Land ;*

FRUIT TREES & FRUITS ;

ANNUAL, BIENNIAL AND PERENNIAL FLOWERS ;
HERBACEOUS PLANTS AND BULBOUS ROOTS ;
FOREST TREES, FLOWERING SHRUBS
AND EVERGREENS ;

GREEN-HOUSE AND STOVE PLANTS.

SOLD BY

WILLIAM BOOTH

NURSERY AND SEEDS-MAN, FREDERICK-TOWN-ROAD, HALF A MILE FROM

BALTIMORE.

CATALOGUES *to be had at the Nursery, where all Orders will be
executed with the greatest punctuality and dispatch: Also,
at Mr. GEORGE ACKERMAN'S No. 9, High-street, Old
Town, PAMPHILION'S HOTEL, Fell's-Point, and at
GADSBY'S INDIAN QUEEN TAVERN AND HO-
TEL, Baltimore-street, Baltimore.*

G. DOBBIN AND MURPHY...PRINTERS.

.....
1810.

Rec. Jan 12/1819

ABBREVIATIONS.

D. Dry Stove.

G. Green House.

H. Hardy.

S. Stove.

⊙. Annual.

♂. Biennial.

℥. Perennial.

½. Shrubby.

ERRATA.

PAGE. LINE.

3	2	For <i>gloab</i> read <i>globe</i> .
4	37	For <i>brount</i> read <i>broun</i> .
7	12	For <i>busset</i> read <i>russet</i> .
8	29	For <i>muriton</i> read <i>murkilon</i> .
8	41	For <i>vitifera</i> read <i>vinifera</i> .
11	22	For <i>lupen</i> read <i>lupine</i> .
11	26	For <i>luping</i> read <i>lupine</i> .
12	12	For <i>bouble</i> read <i>double</i> .
12	34	For <i>crane-bill</i> read <i>crane's-bill</i> .
13	38	For <i>puccoo</i> read <i>puccoon</i> .
14	43	For <i>artenieia</i> read <i>artemesia</i> .
15	20	For <i>apine</i> read <i>alpine</i> .
15	34	For <i>lausus</i> read <i>laurus</i> .
20	15	For <i>rlbum</i> read <i>album</i> .

A CATALOGUE, &C.

SEEDS AND PLANTS FOR THE KITCHEN GARDEN.

- | | |
|------------------------|------------------------------|
| Artichokes, | Cabbages, |
| 1 gloab or purple, | 10 red, |
| 2 oval or green, | 11 cabbage turnip, |
| Asparagus, | 12 turnip rooted cabbage, |
| Beans. English, | 13 chux de milan, |
| 1 early mazagan, | Carrots, |
| 2 long podded, | 1 early horn, |
| 3 Turkey long podded, | 2 early orange, |
| 4 windsor, | 3 large do. |
| 5 white blossomed, | 4 large lemon, |
| 6 green, | Cauliflower, |
| Beets, | 1 early, |
| 1 red, | 2 late, |
| 2 white, | Celery, |
| 3 marbled, | 1 Italian, |
| 4 mangel wurtzel beet, | 2 solid, |
| Borecole or Kale, | 3 new giant, |
| 1 green curled, | 4 turnip-rooted or celeriac, |
| 2 red do. | Chardon, |
| 3 thick leafed, | Chervil, |
| 4 brussels or sprouts, | Corn-Sallad, |
| Brocoli, | Cress, |
| 1 early white, | 1 garden, |
| 2 early purple, | 2 curled leafed, |
| 3 siberian, | 3 winter, |
| 4 late purple, | Cucumbers, |
| Burnet, | 1 early short prickley, |
| Cabbages, | 2 long do. |
| 1 early york, | 3 long green Turkey, |
| 2 early dwarf, | 4 southgate, |
| 3 large early, | 5 black spine, |
| 4 early sugar loaf, | 6 white do. |
| 5 late sugar loaf, | 7 West Indian for pickling, |
| 6 early battersea, | Egg Plant, |
| 7 large winter, | 1 white, |
| 8 imperial, | 2 purple, |
| 9 large drum-head, | 3 large new prickley purple |

4 SEEDS AND PLANTS FOR THE KITCHEN GARDEN.

Endive,

- 1 green curled,
- 2 white curled,
- 3 broad leafed,

Eschalot,

Garlic,

German greens,

Jerusalem artichoke,

Kidney or French Bean,

- 1 early yellow dwarf,
- 2 do. white do.
- 3 do. negro do.
- 4 Canterbury do.
- 5 battersea white do.
- 6 black speckled do.
- 7 dun coloured do.
- 8 liver do. do.
- 9 lammas do.
- 10 Turkey do.
- 11 cockstone, do.
- 12 Canterbury runners,
- 13 large Dutch do.
- 14 asparagus do.
- 15 cherry or cranbury do.
- 16 scarlet flowering do.
- 17 white do. do.
- 18 hommony do.

Leek,

Lettuce,

- 1 brown Dutch,
- 2 yellow holland,
- 3 cilicia,
- 4 tennis-ball,
- 5 Green cos,
- 6 green cos black seed,
- 7 black cos (or ice lettuce)
- 8 large cilicia, or brout
versailles, [lasey
- 9 large green cabbage, or
- 10 aleppo, or spotted cos,
- 11 do. cabbage,
- 12 white do.
- 13 hardy green,

Lima Been, large and small,

Love Apple, or tomato, red and
white,

Mustard, white and black,

Musk Melon, in variety,

Melon, water,

Nasturtium, large and dwarf,

Onion,

- 1 Strawsburg,
- 2 white Spanish,
- 3 Portugal,
- 4 blood red,
- 5 silver skinned,
- 6 brown Spanish,
- 7 Welsh,

Parsley,

- 1 plain leafed,
- 2 curled do.
- 3 Hamburg, or large-rooted

Parsnip,

- 1 common large swelling,
- 2 Duff's fine new, a very

Pea, [superior sort

- 1 Boothe's early,
- 2 early frame,
- 3 superfine early,
- 4 early Charlton,
- 5 golden hotspur,
- 6 dwarf marrowfat,
- 7 tall do.
- 8 green nonpareil,
- 9 royal blue Prussian,

Lady pea,

Indian or black eyed pea

Purslane, green and golden,

Radish,

- 1 early short topped,
- 2 salmon coloured,
- 3 dwarf transparent salmon
- 4 white Italian turnip rooted
- 5 red do. do. do.
- 6 black Spanish,
- 7 white do.
- 8 white short-topped, [ed
- 9 pink coloured turnip-root-
- 10 early scarlet,

Rocambole,

Salsafy,

Scorzonera,

Sorrel,

- 1 broad leafed,

SEEDS AND PLANTS FOR THE KITCHEN GARDEN. 5

2 French,	3 large round white,
Savoy cabbage,	4 large white Norfolk,
1 common green curled,	5 red topped,
2 Duff's best green curled,	6 white do.
3 white,	7 yellow,
4 yellow,	8 Swedish,
Spinach,	9 Lapland,
1 smooth seeded,	10 Hanover, for sprouts,
2 prickley seeded,	Ockra,
Tarragan,	Orace,
Turnip,	Gourds, in a variety,
1 early Dutch,	Pompions or simblings in sorts,
2 do. stone,	Horse Radish,

SWEET HERBS AND POT HERBS.

Basil sweet, three sorts,	English marygold,
Borage, two sorts,	Double flowering, eight sorts,
Clary,	Savory, summer and winter,
Fennel,	Thyme, upright and running,
Marjoram,	Sage, green and red,
1 notted or sweet,	Mint, spear and pepper,
2 pot,	Carraway.

PHYSICAL SEEDS AND PLANTS.

Balm,	Rue,
Chamomile,	Poppy,
Dill,	White, do.
Lavender,	Carraway,
Hyssop,	Tansey, common,
Mugwort,	Scurvy-grass, common,
Rheubarb,	Tobacco,
1 English,	Bergamot Balm,
2 Turkey,	Maw Seed,
Rosemary,	Comfrey,

SEEDS TO IMPROVE LAND.

Buck Wheat,	Flax,
Canary,	Grass,
Clover,	1 Timothy, or Herd
1 Red Dutch,	2 Peruvian,
2 White Dutch,	Hemp,
Cole-seed, or Rape,	Lucern,

FRUIT TREES AND FRUITS.

- | | |
|--|--|
| <p>1 Almond tree <i>Amygdalus</i>,
 ✓ 1 Bitter fruited,
 2 Large sweet fruited, hard shelled, [led,
 ✓ 3 Sweet fruited, tender shel-
 4 Lady, or Parchmen shel-
 ✓ 5 Double flowering, [led,
 2 Apple tree, <i>Pyrus-Malus</i>,
 1 Large early, early harvest,
 2 Large early codling,
 ✓ 3 June apple,
 4 White summer calville,
 5 Red summer calville,
 ✓ 6 Golden pearmain,
 7 Golden pippin, <i>English rennet—Pomme d'or, ou reinette d'angle terre</i>,
 8 Large green calville,
 ✓ 9 Booth's Baltimore pippin,
 ✓ 10 Nonpareil,
 11 Grey rennet,
 12 Summer codling,
 13 Golden russet,
 14 Golden rennet,
 15 English codling,
 16 Roman knight or <i>pennock</i>
 ✓ 17 Yellow vandeever,
 ✓ 18 Red vandeever,
 ✓ 19 Spice spitzenburgh,
 20 Priest apple,
 21 Black redstricke,
 22 Herfordshire redstricke,
 23 Black redstricke, yellow
 ✓ 24 Maiden's blush, [pulp
 ✓ 25 Kentish codling,
 26 Yellow bellflower,
 ✓ 37 Grey russet, <i>New-England russet, or Novascotia winter russeten</i>,
 28 Early bow,
 29 Late bow,
 30 Seek-no-further,
 31 Yorkshire, or Northern greening,
 32 White autumn calville,
 33 Red do. do.</p> | <p>34 Frost apple,
 ✓ 35 Docter, or <i>American nonpareil</i>,
 36 White paradise,
 37 Jerusalem apple,
 ✓ 38 Brown's winter apple,
 ✓ 39 Early lady-finger,
 ✓ 40 Green Newtown pippin,
 41 Yellow Newtown pippin, Newark or yellow pippin, French pippin,
 42 Holland pippin, <i>Red-Dutch</i>,
 ✓ 43 Monstrous pippin, <i>New-York gloria mundi</i>,
 44 Ribston pippin,
 45 Michael Henry pippin,
 ✓ 46 Long pippin,
 47 Orange pippin, <i>dumpling apple, Flanders, or Dalmine Reinette</i>,
 ✓ 48 Sweet pippin,
 ✓ 49 Large lb. pippin,
 50 Dutchess of Hamilton,
 51 American pippin,
 52 Nonsuch,
 ✓ 53 Winter pearmain,
 54 Cat head,
 55 Bull's head,
 56 Staat apple,
 57 Robinson,
 58 Alban craan,
 59 Miller's Hartford apple,
 60 Queen's thin skin,
 61 Large white sweeting,
 62 Large red and green sweeting,
 63 Early margaret,
 64 Black annet,
 65 Wheeler's russet,
 66 Red coare, or <i>surprise</i>,
 67 Api, ephrow, or <i>lady apple</i>, [api,
 68 Rose apple, or <i>greater</i>
 69 Large yellow English codling,</p> |
|--|--|

- | | |
|---|--|
| <p>70 Jersey greening,
 71 Wine apple,
 ✓ 72 Flushing spitzenburgh,
 73 Roman stem,
 74 Early French reinette,
 75 Rambour,
 76 Winter queen,
 77 Ruckman's pearmain,
 78 Catling, [du,
 79 Red fenouillet, <i>ou carpen-</i>
 80 Orange apple,
 81 Aromatic busset,
 82 English gloria mundi,
 83 Famagusta.
 1 Striped crab, [crab,
 ✓ 2 Double flowering Chinese
 3 Double bearing crab,
 ✓ 4 Siberian crab,
 5 Hughes' Virginian crab,
 6 Sweet scented crab.</p> <p>Apples for making Cyder,
 1 Cart house, or gilpen,
 2 Fox whelps,
 3 West chester,
 4 Olive green,
 5 White sour, [speck,
 6 Cockagee, or white red
 7 Mother Jean,
 8 House, or grey house,
 9 Styre apple,
 10 Catsbury,
 11 Common redstricke,
 3 Appricot tree, <i>Armeniaca</i>,
 ✓ 1 Early orange,
 2 Transparent,
 3 Early white,
 4 Breda,
 ✓ 5 Brussels,
 6 Gold blotched, [ple,
 ✓ 7 Moor Park, Anson, Tem-
 or Dunmoer's breda,
 8 Clingston,
 4 Barberry,
 5 Cherry tree, <i>prunus cerasus</i>,
 ✓ 1 Early May,
 2 May duke,
 3 Duke heart,</p> | <p>4 Early white heart,
 5 Kentish,
 ✓ 6 Ox heart,
 7 Black corone,
 8 Carnation,
 9 Halifax,
 10 Black heart,
 11 Early Richmond,
 12 White Orleans,
 13 Black Orleans,
 14 Belle cheveruse, <i>nonsuch</i>,
 <i>Turky bigaro, imperial</i>,
 15 Yellow heart,
 16 Graftion,
 17 Harrison heart,
 18 Medock,
 19 Large red bigaro,
 20 Gros gobet a courte queue,
 21 Morello, or Milan,
 22 Double dwarf flowering,
 23 Double wild flowering.</p> <p>6 Currant tree, <i>Ribus</i>,
 1 Red dutch,
 2 White dutch,
 3 Champagne,
 4 Black fruited.</p> <p>7 Filbert, <i>corylus, Avellana</i>,
 1 Red filbert,
 2 White filbert.</p> <p>8 Fig tree, <i>Ficus</i>,
 1 Large blue,
 2 Early white,
 3 Large white genoa,
 4 Brown, or chesnut Ischia,</p> <p>9 Gooseberry tree, <i>ribus gros-</i>
 <i>sularia</i>.</p> <p>Red Gooseberries
 1 Large amber,
 2 Champagne,
 3 Alcock's king,
 4 Alcock's duke of York,
 5 Warrington.</p> <p>Yellow Gooseberries.
 6 Golden drop,
 7 Prince of Orange,
 8 Rocket's yellow,
 9 Golden seedling.</p> |
|---|--|

White Gooseberries,

10 Highland white,

11 Snow ball,

12 White elephant,

13 White heart.

Green Gooseberries,

14 Early green hairy,

15 Green gascoin,

16 Duke of Bedford,

17 Satisfaction,

18 Green oak,

19 Small American,

20 Large do. for bottling,

✂ Besides the above twenty sorts, which are all very good, I have sent an order to Messrs. Mc'Niven's Nurserymen, at Manchester, (Eng.) which is at the fountain head of the best gooseberries in the world, for fifty trees or plants of their best and newest sorts, which I expect to receive this fall, and when added to the above will make my assortment good.

10 Grapes or vine, *vitis, vinifera*,

1 White sweet water,

2 Black sweet water,

3 White frotnack, or muscat blanc,

4 Black frontinack, or muscat noir,

5 Black hamburgh,

6 White hamburgh,

7 Syrian grape,

Vitis vulpina,

Fox grape, in varieties,

Vitis, vitifera Americana, American grape, in varieties.11 Medlar tree, *Mespilus*,

1 Dutch medlar,

12 Mulberry tree, *Morus*,

1 Black, or English,

2 White, or Italian,

3 Red, or Virginian,

4 Chinese.

13 Nectarine-tree, *Amygdalus-Persica Nectarina*,

✓ 1 Fairchild's early,

✓ 2 Red roman,

3 Violet nectarine,

4 Queen Charlotta,

5 Elruge.

14 Nut tree, *Corylus*,

1 Cob nut,

15 Peach tree, *Amygdalus-Persica*,

1 White nutmeg, early white, or avant peche blanche,

2 Red nutmeg, avant peche rouge,

3 Yellow nutmeg, avant peche jaune,

4 Early anne,

5 Double troyes, or *small mignonne*,

6 White rare ripe,

7 Large early,

8 Early purple,

9 Duff's early yellow,

10 Muriton,

11 Early white clingstone,

✓ 12 Red pine apple,

✓ 13 Booth's early admirable,

14 President,

15 English swalsh,

16 Orange clingstone,

17 Chancellor,

18 Carolina clingstone,

19 Kennedy's carolina,

✓ 20 Large heath,

21 Royal George,

22 Old Newington,

23 New Newington,

24 Red cheek malagatune,

25 Small blood,

26 Large blood clingstone,

27 White blossomed,

28 Fine large white,

- 29 Large yellow autumn,
 30 Lemon clingstone,
 31 Late admirable,
 32 Yellow pine apple,
 33 Royal Charlotta,
 34 Dr. Couper's excellent
 cling,
 35 Green cathering,
 36 Red magdalin,
 37 Spanish seedling,
 38 Elizabeth town,
 39 White newington,
 40 Teton de Venus, *or breast
 of Venus*,
 41 Vanguard,
 42 French noblesse, [stone
 43 Gough's late red cling-
 44 White winter openstone,
 16 Pear-tree, *Pyrus*, [net,
 1 Saint John's *amire ioan*-
 2 Early sugar,
 3 Early chaumontelle,
 4 Early beurre,
 5 Early bergamot, *or sum-
 mer do*.
 6 Diana, *deans, doyenne, St
 Michael, burree blanc,
 burree de roy, yellow but-
 ter, white madam, bonne
 ente, or white beurree*.
 7 Vergoluse,
 8 Windsor,
 9 Summer Arch Duke, *a-
 mire roux, Archiduc d'
 Ele, or Ogonet*,
 10 Cappershone,
 11 Summer boncretien, *Gra-
 cioli*,
 12 Crassanne, *or Crasan,
 Bergamotte Cra*,
 13 Sharples,
 14 Peach pear,
 15 Green winter sugar,
 16 July or Summer bell,
 17 Autumn bergamot,
 18 Long green, *mouth wa-
 ter, verte longue, mouille
 bouche*,
 19 Beury, *or butter pear, red
 beury, green beury, grey
 beury*,
 20 Howard's pear,
 21 Striped long green, *or
 Swiss pear,
 vert-longue panachée, su
 Swisse*,
 22 Large red,
 23 Swans egg,
 24 St. Germaine, *inconnue
 la tare*,
 25 Skinless, early russelet,
 *fleur de guignes, poir
 sans peau*,
 26 Martin sire, *bonville*,
 27 Great winter weilding,
 28 Echasserry, *bezi de chas-
 sery*,
 29 Franc real, *golden end of
 winter*,
 30 Winters wonder, *petit
 oin, Merveille, d'hiver*,
 31 Bretish, *or orang berga-
 mote*,
 32 Jenette pear,
 33 Autumn St. Germain,
 34 Bon Chretien d'Aauch,
 *Bon Chrétien d'Or, Bon
 Chrétien d'Hyver, golden
 good christian, winter
 good christian*.
 35 Berzi de la Motte,
 36 Russlet de autumn,
 37 Golden Beurree, *Beurrée
 d'Or*,
 31 Germain Muscat,
 39 Gancels bergamot,
 40 Sarasin,
 41 Easter bergamot terling,
 17 Plum-tree, *Prunus*,
 1 Precoce de *touers early
 touers*,
 2 Early harvest,
 3 Blue perdigon,
 4 Blue vine,
 5 White winter damson, *or
 Jersey cluster*,

- | | |
|--|---|
| <p>6 Green gage,
 7 Blue gage,
 8 Yellow do.
 9 White od.
 10 Cheston,
 11 Orleans,
 12 Striped imperial,
 13 Gros damas de tours,
 <i>great damasscene plum</i>
 <i>of tours,</i>
 14 Late black damascene,
 <i>damas noir tardif, or</i>
 <i>damson,</i>
 15 White imperial, <i>white</i>
 <i>Holland, white bonum</i>
 <i>magnum, white egg, or</i>
 <i>Mogul plum.</i>
 18 Quince-tree, <i>Pyrus Cydonia,</i>
 1 Orange, <i>or apple,</i>
 2 Oblong, <i>or pear,</i>
 3 Portugal,
 19 Raspberry, <i>Rubus,</i>
 1 Large red antwerp,</p> | <p>2 large white do. [ing,
 3 Smooth cane double-bear-
 4 American purple,
 5 English do.
 6 White,
 20 Service-tree, <i>Crataegus,</i>
 21 Strawberry. <i>Fragaria,</i>
 1 Hudson bay,
 2 Large scarlet,
 3 Red alpine,
 4 White do.
 5 Red monthly,
 6 Red wood,
 7 Red chili,
 8 White do.
 9 Royal Houtboy,
 10 Gloab do. [from seed,
 11 New strawberry raised
 22 Walnut-tree, <i>Juglans,</i>
 1 English walnut,
 2 Pecan nut, <i>or Illinois hic-</i>
 <i>kery,</i> [nut.
 3 White walnut, <i>or butter</i></p> |
|--|---|

ANNUAL FLOWERS.

- | | |
|---|--|
| <p>Amaranth,
 1 Red cock's-comb,
 2 Yellow do.
 3 Tricolor, <i>or three-color'd</i>
 4 Becolor, <i>or two-coloured</i>
 5 Princess feather,
 6 Purple globe,
 7 White do.
 1 Love lies-a-bleeding,
 9 Tree amaranth,
 Alysson, <i>or Madwort,</i>
 1 Sweet alysson,
 Aster, Chinese,
 1 Double purple,
 2 Double white,
 3 Double red,
 4 Double purple-striped,
 5 Double red-striped,
 6 Bonnet aster,
 7 Quilled do.</p> | <p>Balm Moldavian,
 Balsom, various colours double,
 Candytuft,
 1 Purple-flowered,
 2 White-flowered,
 Capsicum,
 1 Red in variety,
 2 Yellow, do.
 3 Black,
 Catchfly, Lobel's, <i>Silene,</i>
 1 White-flowered,
 2 Red do.
 Caterpillar, Trefoil, <i>Medicago,</i>
 Chrysanthemum, <i>Sylphium,</i>
 1 Double yellow,
 2 Do. white,
 3 Do. quilled,
 Convolvulus,
 1 Great blue
 2 Small do.</p> |
|---|--|

- | | |
|-------------------------------------|---|
| 3 Great white, | 2 Minor, or green do. |
| 4 Small do. | Pink, Indian, or China, in varieties. |
| 5 Small striped, | Rose of Jericho. |
| 6 Scarlet, | Scabius, globe, |
| Hawkweed, | Snail, Trefoil, |
| 1 Purple-flowered, | Sensitive plant, <i>Mimosa</i> , |
| 2 Yellow do. | Saffron, <i>Carthamus</i> , |
| Hedgehog, Trefoil, | Stock, July flower, <i>Cheiranthus</i> |
| Ice plant, <i>Dimond Ficoides</i> , | 1 French, |
| <i>Ipomaea</i> , | 2 Purple, |
| 1 Quamoclit, | 3 White, |
| 2 Winged leaved, | 4 Red, |
| 3 Upright, | 5 Scarlet, |
| 4 Scarlet flowered, | Strawberry spinach, <i>Blitum</i> , |
| Ketmia, bladder ketmia, | Sunflower, double and single, |
| Larkspur, | Sweet Sultan, <i>Centaurea</i> , |
| 1 Double dwarf rocket, | 1 Purple, |
| 2 Do. tall do. | 2 White, |
| 3 Do. variegated branching, | 3 Yellow, |
| 4 Do. rose coloured, | Snap dragon, <i>Antirrhinum</i> . |
| Lupen, | 1 Purple, |
| 1 Yellow flowered. | 2 Crimson, |
| 2 Rose or painted lady, | Venus's looking glass. <i>Campanula</i> , |
| 3 Large blue. | 1 White, |
| 4 White luping, | 2 Blue, |
| Lychnis mountain, | Venus navelwort. <i>Cynoglossum</i> , |
| Marvel of Peru, in varieties, | Wallflower. <i>Cheiranthus-cheiri</i> , |
| Marygold, African, in ditto, | 1 Prussian, |
| Marygold, French, in ditto, | 2 Purple flowered, |
| Mignonette, | 3 White do. |
| 1 Sweet scented, | 4 Scarlet do. |
| 2 Upright, | Xeranthemum, |
| Nigella, blue-flowered, | 1 Purple flowered, |
| Noli me tangere, | 2 White do. |
| Peas, | Yellow toad flax. <i>Antirrhinum</i> . |
| 1 Painted lady crown, | Zinna, |
| 2 Sweet scented, in variety | 1 Red flowered, |
| Palma Christi, | 2 Yellow do. |
| 1 Major, or purple stalked, | |

**BIENNIAL AND PERENNIAL FLOWERS; HERBACEOUS PLANTS
AND BULBOUS ROOTS.**

- | | |
|-----------------------|-----------------------------|
| A grostemma, | Alcea, |
| 1 White rose campion, | 1 Hollyhocks, in varieties. |
| 2 Red do. do. | 2 Chinese painted lady do. |

- Allum-cepa,
 1 Tree onion,
 Althaea,
 1 Marsh-mallow.
 Alyssum,
 1 Madwort, in varieties,
 Amaryllis,
 1 Jacobea lily,
 2 Guernsey lily,
 Anemone, [varieties,
 1 Broad leaved garden, in
 2 Double white wood,
 3 Blue wood,
 Anemone-hepatica, or liverwort,
 1 Double blue hepatica,
 2 Double red do.
 Aquilegia,
 1 Columbine, in varieties,
 Artemisia,
 1 Mugwort,
 Artemisia-absinthium,
 1 Common wormwood,
 Ambrosia maratima,
 Acorus. *Sweet smelling Flag.*
 1 Sweet rush,
 Asclepias,
 1 Swallow wort in varieties
 Bellis. Daisy,
 1 Double daisy's, in variety
 2 Quilled daisy,
 3 Hen and chicken,
 Cassia, or wild sena,
 1 Maryland sena,
 Campanula,
 1 Canterbury bells,
 Chelone,
 1 White,
 2 Rose coloured,
 Cheiranthus, cheiri,
 1 Double bloody wall-flower
 2 Double yellow do.
 3 Single do. do.
 4 Single bloody do.
 Chelidonium. Celandine,
 1 Horned poppy,
 2 Great flowering double
 celandine.
- Chrysanthemum indicum,
 Churanthus, incanus,
 1 Queen stock gilliflower,
 2 Purple stock,
 3 Brompton do.
 4 Red stock,
 5 White stock,
 Convallaria,
 1 Lily of the valley,
 Crocus,
 1 Vernus or spring, in va-
 rieties,
 Delphinium,
 1 Bee-larkspur,
 Dianthus. Pink,
 1 Sweet William, in varie-
 ties.
 2 Pinks, in varieties,
 3 Carnations, fifty sorts by
 name,
 Fritillaria,
 1 Fritillaria, in varieties,
 Digitalis,
 1 White fox-glove,
 2 Purple do
 3 Yellow do.
 Dodecatheon,
 1 Virginian cowslip,
 Bartsia pale flowered,
 Echinopa,
 1 Gloab thistle,
 Galega,
 1 Goat's-rue, officinal,
 Geranium, crane-bill,
 1 Maculatum,
 Hedysarum,
 1 French honeysuckle,
 Hesperis. Dame's violet or rocket
 1 Single purple rocket,
 2 Single white do.
 Hibiscus,
 1 White marsh mallow,
 2 Pink do. do,
 Galanthus,
 1 Common snow drop,
 Horminum,
 1 Clary,

- Hyacinthus. Hyacinth,
 1 Grape, in varieties,
 2 Feathered blue,
 3 Oriental, double and a
 great variety of colours
 Iris. Flower-de-luce,
 1 White florentine,
 2 Dwarf purple,
 3 Variegated,
 4 Chalcedonian,
 5 Persian,
 6 Virginian,
 7 Spanish bulbous,
 Imperialis,
 1 Crown imperial, in va-
 rieties,
 Lilium. Lily,
 1 Orange,
 2 Canada Martagon, in va-
 rieties,
 3 Common white,
 4 Striped leaved white,
 5 Double flowered white,
 Leucoium.
 1 Greater spring snowdrop.
 Lobelia,
 1 Scarlet cardinal-flower.
 Lunaria.
 1 Honesty,
 Lupinus,
 1 Perennial-rooted lupine.
 Lychnis,
 1 Scarlet,
 Malva,
 1 Vervain mallow,
 2 Jagged leaved vervain
 mallow,
 Matricaria,
 1 Double flowered feverfew
 Monarda,
 1 Scarlet lion's-tail,
 2 White do.
 3 Purple do.
 Lathyrus,
 1 Pease everlasting,
 Narcissus or daffodil.
 1 Jonquil, double and single
 2 Double-flowered narcis-
 sus, in varieties,
 3 Polyanthus Narcissus, in
 varieties,
 4 Common daffodil, in va-
 rieties,
 Ornithogalum,
 1 Star of Bethlehem,
 Polianthes,
 1 Tuberosa, double and sin-
 gle,
 Primula,
 1 Double purple primrose,
 2 Cowslips, in varieties,
 Primula-Auricula,
 1 Auricula, in varieties,
 Primula-Polyantha,
 1 Polyanthus, in varieties,
 2 Double Polyanthus, or
 hose in hose,
 Panicum,
 1 Variegated panic-grass,
 Ranunculus, or crowfoot,
 1 Persian ranunculus, in
 varieties,
 2 Upright meadow yellow
 crowfoot,
 3 Double yellow crowfoot.
 Pæonea,
 1 Double red piony,
 Sempervivum,
 1 Common houseleek,
 Stachys,
 1 Base horehound, or Ger-
 man,
 Mountain pink,
 Sanguinaria,
 1 Canadian puccoo,
 Saponaria,
 1 Double soap-wart,
 Sanicula,
 1 Sanicula, or self-heal,
 Sarracenia,
 1 Purple side-saddle flower
 Scabiosa,
 1 Sweet scabius,

14 FOREST TREES, FLOWERING SHRUBS & EVERGREENS.

Sedum,	2 Early blowing tulips, in varieties,
1 Orpine,	3 Double tulips, in varieties
Sophora, tinctora,	4 Parrot tulips, in do.
1 Dyers pophora,	Passiflora,
Spigelia,	1 Olive shaped-fruited pas-siflora.
1 Maryland worm-seed,	
Tulipa,	[rieties,
1 Fine striped tulips, in va-	

FOREST TREES, FLOWERING SHRUBS AND EVERGREENS.

Acer. Maple-tree,	1 Common southern-wood,
1 Sugar, <i>saccharinum</i> ,	Baccharis,
2 Scarlet flowering, <i>rubrum</i>	1 Virginian groundfel-tree,
Æsculus. Horse-chesnut-tree,	Bignonia,
1 Common,	1 Catalpa-tree,
2 Gold striped,	2 Climing trumpet-flower,
3 Silver striped,	3 Cross vine,
4 Scarlet flowering,	4 Cross bearing,
5 Dwarf scarlet do.	Boxus,
6 Dwarf white do.	1 Dwarf box,
7 Yellow flowering,	2 Gold striped box,
8 Straw coloured do.	3 Broad leaved tree do.
Amygdalus-persica, duplex,	4 Narrow do. do. do.
1 Double flowering peach,	5 Gold edged do- do,
Andromeda,	Calycanthus floridus,
1 Sorrel-tree,	1 Carolinian Alspice,
2 Maryland,	Celtis,
3 Pennsylvania,	1 Yellow-fruited nettle-tree
4 Panicked,	Celastrus,
5 Evergreen dwarf,	Climing staff tree,
6 Carolinian red bud,	Callicarpa,
7 Carolinian iron wood,	1 Carolina shrubby,
Annona,	Cephalanthus,
1 Trifid-fruited custard ap- ple,	1 Button tree,
Aralia,	Cercis,
1 Angelica-tree,	1 Red-bud or Judas tree,
Ascyrum,	Chionanthus,
1 St. Peter's wort,	1 Snow-drop or fringe-tree,
Azalea,	Clematis,
1 Red flowered,	1 Curled virgins bower,
2 White do.	Clethra,
3 Swamp,	1 Alder leaved,
Artenicia. Abrotanum,	Colutea,
	1 Traling bladder sena,

- | | |
|--|-------------------------------------|
| 2 Reddish podded bladder
sena, | Gordonia. Lobloly bay, |
| Cornus, | 1 Pubescent, |
| 1 Male Virginian dogwood, | Guilandina, |
| 2 American red-rod, | 1 Hardy bundue, |
| 3 Deep-red-fruited corneli-
an cherry-tree, | Halsia. Silver-bell-tree, |
| Capressus, | 1 Two-winged fruited, |
| 1 Virginian deciduous cy-
press-tree, | 2 Four do. do. |
| Cytisus, | Hamamelis, |
| 1 Common broad-leaved la-
burnum, | 1 Virginian witch hazel, |
| Crataegus, | Hedera, |
| 1 Common hawthorn, | 1 English ivy, |
| 2 Double blossomed do. | 2 Virginian creeper, |
| 3 Large scarlet do. | Hibiscus, |
| 4 Virginian cockspur do. | 1 Double flowering red al-
thea, |
| Daphne, | 2 Ditto, white do, |
| 1 Apine, | 3 Silver striped leafed do. |
| 2 Lemon scented, | 4 Single athea in variety, |
| 3 Neapolitan mezereon, | Hydrangea, |
| 4 Trailing, an elegant and
fragrant shrub, | 1 Virginia shrubby |
| Dirca, | Hypericum. St. John's Wort. |
| 1 Marsh leather-wood, | 1 Virginian, |
| Epigaea, | Jasminum, |
| 1 Tailing arbutus, | 1 Common white jasmine, |
| Euonymus, | 2 Italian yellow do. |
| 1 Narrow leafed spindle-tree | 3 Gold striped-leaved do. |
| 2 Broad do. do. | 4 Indian do. |
| 3 Evergreen do. | Ilex, |
| Fraxinus, | 1 Common holly, |
| 1 American white ash, | Juniperus, |
| 2 Pennsylvania ash, | 1 Red cedar, |
| Franklinia, | 2 Tree or Swedish juniper, |
| Genista, | 3 Common savin, |
| 1 Dwarf English broom | Lausus, |
| needle-furze, or petty | 1 Benjamin tree, |
| whin, | 2 Common sweet bay, |
| 2 Dyer's broom, | 3 Sassafras, |
| Gleditsia, | Kalmia, |
| 1 Triple thorned acacia or
honey locust, | 1 Broad leaved, |
| Glycinne, | 2 Narrow do. |
| 1 Carolinian shrubby kid-
ney bean, | Ligustrum. Common privet, |
| | Liriodendum, |
| | 1 Virginian tulip-tree, |
| | Lonicera, |
| | 1 Scarlet trumpet, honey
suckle, |
| | 2 Striped leav'd honeysuckle |

16 FOREST TREES, FLOWERING SHRUBS & EVERGREENS.

- | | |
|-----------------------------------|--|
| 3 Long blowing honey suckle, | Rhus, |
| 4 Red Dutch honey suckle, | 1 Lentiscus leaved sumach |
| 5 Early white Italian do. | 2 Scarlet-flowering do. |
| 6 Fly do. | 3 Stag-horn do. |
| 7 Shrubby, St. Peter's wort | Robinia, or false Acacia, |
| 8 Maryland scarlet conicera | 4 Common locust tree, |
| Lycium, | Rosa. Rose, |
| 1 Willow leaved box thorn, | 1 Single white, |
| Magnolia, | 2 Double do. |
| 1 Grandiflora, laurel-leaved | 3 Maiden's blush, |
| 2 Glauca, swamp, | 4 Virgin, |
| 3 Acuminata, cucumber-tree, | 5 White flowered dog. |
| 4 Tripetala, umbrella-tree, | 6 Red ditto do. |
| Mespilus, | 7 Blush belgie, large & fine |
| 1 Evergreen thorn, or pyracantha, | 8 Dwarf red burgundy |
| Myrica, | 9 Wild Virginian, |
| 1 Candleberry myrtle, | 10 Double Pennsylvanian, |
| Philadelphus, | 11 Double cinnamon, |
| 1 Syringa, or mock-orange | 12 Single sweet briar, |
| 2 Carolinian scentless syringa, | 13 Scentless briar or Eglantine, |
| Pinus-Abies, | 14 Large cabbage provence, |
| 1 Balm of Gilead, fir-tree, | 15 Deep red do. |
| 2 Newfoundland spruce do. | 16 Moss do. |
| 3 Hemlock do. do. | 17 Franckfort, or purple, by some called the <i>Black Rose</i> . |
| Pinus-Larix, | 18 Single red damask, |
| 1 Larch-tree, | 19 Double do. |
| Pyrola, Maryland spotted | 20 Single yellow, |
| Platanus, | 21 Double do. |
| 1 Occidental plane-tree, | 22 York and Lancaster, |
| Populus. Poplar tree, | 23 Double marbled, |
| 1 Lombardy poplar, | 24 Red Monthly, |
| 2 Athenian do. | 25 White do. |
| 3 Carolina, do. | 26 Blush do. |
| 4 Canadian, do. | 27 Double Musk, |
| 5 Trembling or aspen-tree, | 28 Double Chinese, |
| 6 Balsom or Tacamahac, | 29 Otahity, |
| Rhododendron, | 30 Pompon, |
| 1 Pennsylvanian mountain laurel, | 31 White dwarf Scotch, |
| 2 Ferrugineous dwarfrosebay, | 32 Common cabbage, |
| Melia. Azedarach, [China, | Rubus odoratus, |
| 1 Bead tree, or pride of | 1 Rose flowering raspberry, |
| | Salix, |
| | 1 Babylonian or weeping willow, |

2 Yellow or golden willow,	Tilia,
3 Osier or basket do.	✓ 1 European lime or linden tree,
Spartium,	2 American lime-tree,
1 Spanish broom,	Viburnum,
2 Portugal do.	1 the plant mealy-tree, wayfaring-tree, or viburnum.
Spiraea,	Viburnum-opulus,
1 Philadelphian red flowering,	1 Gelder rose,
2 Philadelphian white do.	Viburnum-tinus,
3 Virginian gelder-rose-leaved-spiraea, or nine-bark-tree.	1 Hairy leaved laurustinus,
Staphylea,	2 shining do. do.
1 Three leaved bladder nut	Vinca. Periwinkle,
Syringa. Lilace,	1 Small green blue flower-ed.
1 White lilace,	2 Gold striped-leaved white flowering,
2 Purple do.	Ulmus,
3 Persian do.	1 Dutch elm,
Taxus,	2 American do.
1 Common yew tree,	3 Common broad-rough-leaved or English elm.
Thuya,	
1 Chinese arbor vitae,	
2 American do.	

GREEN HOUSE AND STOVE PLANTS.

GENERIC.	SPECIFIC.	CL. OR.	ENGLISH NAMES.
Achras,		6: 1.	Sapota,
1 <i>mammosa</i> ,		S. h.	Mammee,
2 <i>sapota</i> ,		S. h.	Common,
Acorus,		6: 1.	Flag,
1 <i>gramineus</i> ,		D. 2.	Chinese sweet grass,
Adenanthera,		10: 1,	Bastard flower-fence,
1 <i>pavonina</i> ,		S. h.	Bastard,
Aeschynomene,		17: 4.	Bastard sensitive plant,
1 <i>grandiflora</i> ,		S. h.	Large flowered,
2 <i>sesban</i> ,		S. h.	Ægyptian obtuse leaved,
Agave,		6: 1.	Agave or American aloe
1 <i>Americana</i> ,		D. h.	Great American,
2 <i>aureo-varieg</i> ,		D. h.	Gold-striped
Aleurites,		21; 9.	Alewrites,
1 <i>triloba</i> ,		G. h.	Three lobed leaved,
Aloe,		6: 1.	Aloe,
1 <i>variegata</i> ,		D. h.	Partridge breast,
2 <i>spiralis</i> ,		D. h.	Upright with pointed leaves,
α <i>imbricata</i> .		D. h.	Imbricated spiral,

GENERIC, SPECIFIC.	CL. OR.	ENGLISH NAMES.
Aloe,	6: 1	Aloe,
<i>β pentagona</i> ,	D. ½.	Five sided do.
3 <i>retusa</i> ,	D. ½.	Cushion,
4 <i>viscosa</i> ,	D. ½.	Tpright triangular,
5 <i>magaritiflora</i> ,	D. ½.	Pearl,
<i>α major</i> ,	D. ½.	Great Pearl
<i>β minor</i> ,	D. ½.	Small do.
6 <i>lingua</i> ,	D. ½.	Common tongue,
7 <i>Perfoliata</i> ,	D. ½.	Perfoliata,
<i>β africana</i> ,	D. ½.	Broad leaved sword,
<i>γ barbadensis</i> ,	D. ½.	Barbados,
<i>α obscura</i> ,	D. ½.	Common soap,
<i>η suberecta</i> ,	D. ½.	Upright perfoliated.
Amaryllis,	6: 1.	Amaryllis,
1 <i>pumila</i> ,	G. ¼.	Dwarf,
2 <i>sarnienses</i> ,	G. ¼.	Guernsey lily,
3 <i>martinicensis</i> ,	G. ¼.	Martinica,
4 <i>equestris</i> ,	G. ¼.	Barbadoes,
Amomum,	1: 1.	Ginger,
1 <i>zinziber or zingiber</i> ,	G. ¼.	Common,
2 <i>sylvestre</i> ,	G. ¼.	Great wild,
Anacardium,	23: 1.	Cashew-nut-tree,
1 <i>occidentale</i> ,	S. ½.	Cashew-nut, [sop,
Annona,	13: 7.	Custard apple or sour
1 <i>muricata</i> ,	S. ½.	Rough fruited,
Arbutus,	10: 1.	Strawberry-tree,
1 <i>unedo</i> ,	G. ½.	Common,
2 <i>andrachne</i> ,	G. ½.	Oriental,
Arctotis,	19: 4.	Arctotis,
1 <i>calendulacea superba</i>	G. ☉.	Marygold flowered,
Aristolochia,	20: 5.	Birthwort,
1 <i>trilobata</i> ,	G. ♂.	Three lobed birth-wort,
Artemisia,	19: 1.	Wormwood,
1 <i>argentea</i> ,	G. ½.	Broad leaved tree,
Arum,	21: 1.	Arum,
1 <i>esculentum</i> ,	D. ¼.	Esculent, or eatable,
Asclepias,	5: 2.	Swallow wart,
1 <i>arborescens</i> ,	G. ½.	Arborescent,
2 <i>fruticosa</i> ,	G. ½.	Willow-leaved,
3 <i>gigantea</i> ,	S. ½.	Curled flowering gigantic,
4 <i>parviflora</i> ,	G.	Small flowered,
Aucuba,	21: 4.	Aucuba,
1 <i>Japonica</i> ,	S. ½.	Japan aucuba, or gold plant
Bignonia,	14: 2.	Trumpe-flower,
1 <i>Pentaphylla</i> ,	S. ½.	Five leaved,
2 <i>Stans</i> ,	S. ½.	Large yellow,

GENERIS.	SPECIFIC.	CL. OR.	ENGLISH NAMES.
Bignonia,		14: 2.	Trumpe-flower,
	3 <i>cocrulea</i> ,	S. h.	Blue flowering,
	4 <i>crucigera</i> ,	S. h.	Dark-yellow do.
Bixa,		13: 1.	Bixa,
	1 <i>orellana</i> ,	S. h.	Heart leaved,
Bombax,		18: 8.	Silk-cotton-tree,
	1 <i>Pentandrum</i> ,	S. h.	Smooth stemmed,
Cactus,		11: 1.	Melon thistle,
	1 <i>mammillares</i> ,	D. h.	Small,
	2 <i>pentagonus</i> ,	D. h.	Five angled,
<i>Cactus Cereus</i> ,		11: 1.	Torch thistle.
	1 <i>grandiflorus</i> ;	D. h.	Great night flowering,
	2 <i>flagelliformis</i> ,	D. h.	Pink flower'd creeping cereus
	3 <i>pentagonus</i> ,	D. h.	Pentangular,
	4 <i>tringularis</i> ,	D. h.	Triangular creeping cereus.
Cactus Opuntia,		11: 1.	Indian-fig,
	1 <i>opuntia</i> ,	D. h.	Common,
	2 <i>coccinnellifer, maxima</i>	D. h.	Cochineal,
	3 <i>curassavicus</i> ,	D. h.	Curassow or least,
	4 <i>Pereskia</i> ,	D. h.	White flowering,
Caesalpina,		10: 1.	Babados flowere-fence,
	1 <i>pulcherrima</i> ,	S. h.	Variegated flowers,
	2 <i>elata</i> ,	S. h.	Smooth,
Caffe or Coffea,		5: 1.	Coffee-tree,
	1 <i>Arabica</i> ,	S. h.	Arabian,
Cassia,		10: 1.	Caasia,
	1 <i>senna</i> ,	G. ☉.	Egyptian,
Canna. <i>Indica</i> ,		1: 1.	Indian reed,
	β <i>lutea</i> ,	G. ♀.	Yellow Indian flowering red,
	γ <i>coccinea</i> ,	G. ♀.	Scarlet do. do.
Camellia,		16: 8.	Japan rose,
	1 <i>Japonica</i> ,	G. h.	Red,
	α <i>variegata</i> ,	G. h.	Red and white,
	β <i>pleno</i> ,	G. h.	Double,
<i>Capsicomb</i> ,		5: 1.	Cianne pepper,
	1 <i>baccatum</i> ,	G. ♂.	Bird pepper,
	2 <i>luteum</i> ,	G. ♂.	Round yellow do.
	3 <i>album annuum</i> ,	G. ☉.	Round white do.
Carica,		22: 9.	Papaw-tree,
	1 <i>papaya</i> ,	S. h.	Common,
Cerbera,		5: 1.	Cerberus,
	1 <i>thevetia</i> ,	S. h.	French physic nut,
Chamaerops,		23: 2.	Dwarf palm,
	1 <i>humilis major</i> ,	G. h.	European fan-palm,
	β <i>glabra</i> .	G. h.	West Indian do.

GENERIC.	SPECIFIC.	CL. OR.	ENGLISH NAMES.
Chelone,		14: 2.	Chelone,
1 <i>barbata</i> ,		G. 2.	Scarlet flowering,
<i>Cistus</i> ,		13: 1.	Sistus,
1 <i>salicifolus</i> ,		G. ☉.	Willow leaved,
2 <i>creticus</i> ,		G. h.	Creten,
3 <i>purpureus</i> ,		G. h.	Purple flowered, [min
<i>Cestrum</i> ,		5: 1.	Cestrom or bastard jas-
1 <i>nocturnum</i> ,		G. h.	Night smelling,
<i>Citrus</i> ,		18: 3.	Citron-tree,
1 <i>medica major</i> ,		G. h.	Large bergamot,
β <i>minor</i> ,		G. h.	Small do.
<i>Citrus</i> Limon,		18: 3.	Lemon-tree.
1 <i>lusitana</i> ,		G. h.	Large Portugal,
2 <i>curassavica</i> ,		G. h.	Large Curassa,
3 <i>rlbum</i> ,		G. h.	Large white,
4 <i>occidentalis</i> ,		G. h.	West Indian,
<i>Citrus</i> Lima,		18: 3.	Lime-tree,
1 <i>sentolina</i> ,		G. h.	St. Helena,
2 <i>occidentalis</i> ,		G. h.	West Indian,
<i>Citrus</i> Aurantium,		18: 3.	Orange-tree,
1 <i>sinensis</i> ,		G. h.	China,
β <i>sinensis humilis</i> ,		G. h.	Dwarf China,
2 <i>acris</i> ,		G. h.	Seville,
β <i>dulcis</i> ,		G. h.	Sweet Seville,
3 <i>rubra</i> ,		G. h.	Red fruited,
4 <i>crispa-viridis</i> ,		G. h.	Green do. curled leaved,
5 <i>myrtifolia</i> ,		G. h.	Broad myrtle leaved,
6 <i>pumila-var</i> ,		G. h.	Dwarf leaves & fruited varie-
<i>albo varieg</i> ,		G. h.	silver striped, [gated,
<i>luteo-var</i> ,		G. h.	Gold do.
<i>Citrus</i> Decumana,		18: 3.	Shaddock-tree,
1 <i>crispa</i> ,		G. h.	Curled leaved,
<i>Cineraria</i> ,		19: 2.	Cineraria,
1 <i>maritima</i> ,		G. h.	Sea-rag wort,
2 <i>populifolia</i> ,		G. h.	Poplar leaved,
<i>Clitoria</i> ,		17: 4.	Clitoria,
1 <i>Peruviana</i> ,		G. ☉.	Peruvian,
2 <i>Galactia</i> ,		G. ☉.	Jamaican,
<i>Convulvulus</i> ,		5: 1.	Convulvulus,
1 <i>maximus</i> ,		G. ♂.	Red and purple flowered,
2 <i>asiaticus</i> ,			Asiaticus,
<i>Clutea</i> ,		17: 4.	Blader-senna,
1 <i>frutescens</i> ,		G. h.	Scarlet,
<i>Crasula</i> ,		5: 5.	Crasula,
<i>argentea</i> ,		D. h.	Silvery,
<i>colyledon</i> ,		D. h.	Tree,

GENERIC.	SPECIFIC.	CL. OR.	ENGLISH NAMES.
Crinum,		6: 1	Crinum.
	1 <i>Americanum</i> ,	G. 2.	Great American,
	2 <i>asiaticum</i> ,	G. 2.	Asiatic,
Cyclan.en,		5: 1.	Cyclamen,
	1 <i>Persicum</i> ,		Persian white and purple,
Cytisus,		17: 4.	Cytisus,
	1 <i>cajan</i> ,	S. h.	Pigon pea,
Daphne,		8: 1.	Daphne or spurge laurel,
	1 <i>odora indica</i> ,	G. h.	Sweet scented,
Dionaea,		10: 1.	Venus's fly-trap,
	1 <i>muscipula</i> ,	G. 2.	Venus's fly-trap,
Diosma,		5: 1.	Diosma,
	1 <i>ciliata</i> ,	G. h.	Ciliated,
Dolichos,		17: 4.	Dolichos,
	1 <i>lablab</i> .	S. h.	Egyptian kidney-bean,
	2 <i>pruriens</i> ,	S. h.	Cowhage or cow-itch,
	3 <i>maritima</i> ,	S.	Jamaican maritime,
	4 <i>alba</i> ,	S.	White dolichos,
Dracocephalum,		14: 1.	Dragons head,
	1 <i>canariense</i> ,	G.	Balm of Gilead,
Dracaena,		6: 1.	Dracæma, female dragon
	1 <i>terminalis ferrea</i> .	S. h.	Purple leaved,
Erica,		8: 1.	Heath,
	1 <i>grandiflora</i> ,	D. h.	Great flowering,
	2 <i>paniculata</i> ,	D. h.	Purpled do.
	3 <i>viscaria</i> ,	G. h.	Clammy flowered,
Erythrina,		17: 4.	Coral-tree,
	1 <i>corallodendrom</i> ,	S. h.	Smooth leaved,
Eugenia,		12: 1.	Eugenia, [apple,
	1 <i>malaccensis</i> ,	G. h.	Red-fruited eugenia, or rose
Ferraria,		20: 2.	Ferraria,
	1 <i>Pavonia</i> ,	G. 2.	Mexican,
	2 <i>undulata</i> ,	G. 2.	Cape,
Fuchsia,		8: 1.	Fuchsia,
	1 <i>coccinea</i> ,	G. h.	Scarlet flowering,
Gardenia		5: 1.	Cape Jasmin.
	1 <i>florid</i> ,	G. h.	Fragrant,
	2 <i>latifolia</i> ,	G. h.	Broad leaved,
Genista,		17: 4.	Broom,
	1 <i>linifolia</i> ,	G. h.	Flax leaved,
Gnidia,		8: 1.	Gnidia,
	1 <i>simplex</i> ,		Flax leaved,
Gordonia,		16: 6.	Loblolly bay,
	1 <i>lasianthus</i> ,	G. h.	Smooth,
Glycine,		17: 4.	Glycine,
	1 <i>coccinea</i> ,	G. h.	Scarlet flowering,

GENERIC.	SPECIFIC.	CL. OR.	ENGLISH NAMES.
Glycine,		17: 4.	Glycine,
2	<i>bimaculata</i> ,	S. h.	Nettle leaved,
3	<i>rubicunda</i> ,	G. h.	Scarlet & purple flowering,
Guettarda,		21: 7.	Guettarda,
	<i>Speciosa</i> ,	S. h.	Jamaica,
Heliotropium,		5: 1.	Heliotropium, or turn-
1	<i>peruvianum</i> ,	G. h.	Peruvian turnsole, [sole,
2	<i>Indicum</i> ,	G. ♂.	Indian do.
3	<i>gnaphalodes</i> ,	S. h.	Jamaica, do.
Hibiscus,		16: 6.	Hibiscus,
1	<i>cordifolius</i> ,	G. h.	Yellow flowering,
2	<i>populneus</i> ,	G. h.	Poplar leaved,
3	<i>manihot</i> ,	G. h.	Palmated do.
4	<i>Sabdariffa</i> ,	G. h.	
5	<i>mutabilis</i> ,	G. h.	Changable rose,
6	<i>Rosa Sinensis</i> ,	G. h.	China do.
7	<i>praemorsus</i> ,	G. h.	Round leaved,
8	<i>solandra</i> ,	G. ☉.	Maple do.
Hura,		21: 8.	Hura,
1	<i>crepitans</i> ,	S. h.	Sand-box-tree,
Hydrangea,		10: 2	Hydrangea,
1	<i>hortentia</i> ,	G.	Garden, Chinese guilder rose
Hypeucum,		18: 4.	St. John's wort,
	<i>Aegypticum</i> ,	G. h.	Egyptian,
Jasminum,		2: 1.	Jasmine,
1	<i>scambac flore pleno</i> ,	G. h.	Double Arabian.
2	<i>azoricum</i> ,	G. h.	Azorian,
3	<i>odoratissimum</i> ,	G. h.	Yellow Indian,
4	<i>grandiflorum</i> ,	G. h.	Spanish or Catalanian,
	<i>aureo-var</i> ,	G. h.	Gold striped azorian,
Jatropha,		21: 9.	Cassava or physic nut.
1	<i>multifida</i> ,	S. h.	French,
Indigofera,		17: 4.	Indigo,
1	<i>tinctoria</i> ,	G. h.	Dyer's,
Illicium,		13: 7.	Aniseed-tree,
1	<i>floridanum</i> ,	G. h.	Red flowering,
Ipomoea,		5: 1.	Ipomoea,
1	<i>violacea</i> ,		purple flowering,
Justicia,		2: 1.	Justicia,
1	<i>adhatoda</i> ,	G. h.	Malabar nut,
Ixia,		3: 1.	Ixia,
1	<i>rosea</i> ,	G. ♀.	Rose coloured,
Lantana,		14: 2.	American viburnum,
1	<i>odorata</i> ,	S. h.	Sweet scented,
2	<i>aculeata</i> ,	S. h.	Prickly,
3	<i>africana</i> ,	S. h.	Ilex leaved,

GENERIC.	SPECIFIC.	CL. OR.	ENGLISH NAMES.
Lagerstroemia,		12: 1.	Lagerstrœmia,
1 <i>indica</i> ,		G. h.	Indian,
Lavandula,		14: 1.	Lavender.
1 <i>stochas</i> ,		G. h.	French,
Lamium,		14: 1.	Archangel,
1 <i>orvala</i> ,		H. 2.	Balm leaved,
Laurus,		9: 1.	Laurus,
1 <i>Borbonia</i> ,		G. h.	Broad leaved Carolina bay,
2 <i>Persea</i> ,		S. h.	Aligator pear,
Limonia,		10: 1.	Limonia,
1 <i>accidissima</i> ,		S. h.	Ceylon,
2 <i>trifoliata</i> ,		S. h.	Three leaved,
Linum,		5: 5.	Flax,
1 <i>quadrifolium</i> ,		G. 2.	African four leaved,
Lyonia,			Lyonia,
1 <i>racemosa</i> ,		G. h.	
Lythrum.		11: 1	Lythrum,
Magnolia,		13:	Magnolia,
1 <i>indica</i> ,		G. h.	Oriental,
2 <i>pumila</i> ,		G. h.	Dwarf,
Malphighia,		10: 3.	Barbados cherry,
1 <i>Glabra</i> ,		S. h.	Smooth leaved,
Mammea,		23: 1.	Mammee-tree,
1 <i>Americana</i> ,		S. h.	American,
Melaleuca,		18: 4.	Melaleuca,
1 <i>ericifolia</i> ,		G. h.	Heath leaved,
2 <i>glauc</i> ,		G. h.	Glaucous,
Melia,		10: 1.	Bead tree,
1 <i>sempervirens</i> ,		G. h.	Evergreen,
Melianthus,		14: 2.	Honey-flower,
1 <i>major</i> ,		G. h.	Great,
Mesembryanthemum,		12: 4.	Fig-marygold,
1 <i>acinaciforme</i> ,		D. h.	Cimeter leaved,
2 <i>bicolorum</i> ,		D. h.	Two coloured,
3 <i>edule</i> ,		D. h.	Eatable,
4 <i>dolabriforme</i> ,		D. h.	Hatchet leaved,
5 <i>serratum</i> .		D. h.	Serrated do.
6 <i>aureum</i> ,		D. h.	Golden,
7 <i>a new species</i> .		D.	A new species,
Mimosa,		23: 1.	Mimosa,
1 <i>pudica</i> ,		S. h.	Humble plant,
2 <i>unguis-cati</i> ,		S. h.	Four leaved,
3 <i>grandiflora</i> ,		S. h.	Great flowered,
4 <i>cornigera</i> ,		S. h.	Horned or cuckold-tree,
5 <i>farnesiana</i> ,		S. h.	Farnesian, or sponge-tree,
6 <i>speciosa</i> ,		S. h.	Bladder senna leaved,

GENERIC.	SPECIFIC.	CL. OR.	ENGLISH NAMES.
Mimosa,		23: 1.	Mimosa,
	7 <i>odoratissima</i> ,	S. h.	Sweet scented,
	8 <i>arborea</i> ,	S. h.	White flowering,
	9 <i>purpurea</i> ,	S. h.	Purple or soldier wood,
	10 <i>pennata</i> ,	S. h.	Small leaved,
	11 <i>elegans</i> ,	S. h.	Elegant,
Metrosideros,		12: 1.	Metrosideros,
	1 <i>lineares</i> ,		Lineares,
	2 <i>citirna</i> .		Citirna,
Moraea,		3: 1.	Moraea,
	1 <i>gladiata</i> ,	G. 2-	Sword leaved,
Myrsine,		5: 1.	Myrsine,
	1 <i>Africana</i> ,	G. h.	African,
Myrtus,		12: 1.	Myrtle-tree,
	1 <i>romana</i> ,	G. h.	Common broad leaved,
	α <i>arentina</i> ,	G. h-	Box leaved,
	β <i>flore pleno</i> ,	G. h.	Double flowering,
	γ <i>Italica</i> ,	G. h.	Italian upright,
	δ <i>Ital-varieg</i> ,	G. h.	Silver striped Italian,
	ε <i>cristata</i> ,	G. h.	Cock's comb oi bird's nest,
Nerium,		5: 1.	Oleander or rose bay,
	1 <i>oleander flore-rubra</i> ,	G. h.	Red flowering,
	α <i>flore-albo</i> ,	G. h.	White do.
	β <i>flore-pleno-rubra</i> ,	G. h.	Double do. red and white,
	γ <i>luteum</i> ,	G. h.	Yellow do.
	δ <i>indicum</i> ,	G. h.	Peal-red do.
	ε <i>flore-rosea</i> ,	G. h.	Rose or peach blossom do.
	ζ <i>variegatum pleno</i> ,	G. h.	Striped leaved double do.
Leptospermum,		12: 1.	Leptospermum,
	1 <i>ambiguum</i> ,	G. h.	Purple flowered,
Olea,		2: 1.	Olive,
	1 <i>Americana</i> ,	G. h.	American,
	2 <i>fragrans</i> ,	G. h.	Sweet scented,
Oxalis,		10: 5.	Wood sorrel,
	1 <i>versicolor</i> ,	G. 2.	Striped flowered,
	2 <i>purpurea</i> ,	G. 2.	Purple,
	3 <i>flava</i> ,	G. 2.	Narrow leaved,
Parkinsonia,		10: 1.	Parkinsonia,
	1 <i>aculeata</i> ,	S. h.	Prickly,
Passiflora,		20: 4.	Passion-flower,
	<i>laurifolia</i> ,		Laurel leaved or water lemon
Pelargonium,		16: 3.	Crane's-bill,
	1 <i>labatum</i> ,	G. h.	Vine leaved in variety,
	2 <i>tabulare</i> ,	G. h.	Rough stalked in do.
	3 <i>odoratissimum</i> ,	G. 2.	Sweet scented in do.
	4 <i>grossularioides</i> ,	G. 2.	Goosebery leaved,

GENERIC.	SPECIFIC.	CL. OR.	ENGLISH NAMES.
	5 <i>anceps</i> ,	G. 2.	Angular stalked,
	6 <i>gibbosum</i> ,	G. 2.	Gouty,
	7 <i>coriandrifolium</i> ,	G. 3.	Coriander leaved,
	8 <i>scabrum</i> ,	G. 2.	Rough do.
	9 <i>glutinosum</i> ,	G. 2.	Clammy in variety,
	10 <i>alchemilloides</i> ,	G. 2.	Lady's-mantle-leaved,
	11 <i>acetosum</i> ,	G. 2.	Sorrel in variety,
	12 <i>zonale</i> ,	G. 2.	Horse shoe do. from purple
	13 <i>cordatum</i> ,	G. 2.	Heart-leaved do. [to scarlet
	14 <i>inquénans</i> ,	G. 2.	Scarlet flowered in variety,
	15 <i>graveolens</i> ,	G. 2.	Strong scented do.
	16 <i>ovale</i> ,	G. 2.	Oval leaved,
	17 <i>fulgidum</i> ,	G. 2.	Celandine do.
	18 <i>accrifolium</i> ,	G. 2.	Maple do.
	19 <i>triste</i> ,	G. 2.	Night smelling.
	20 <i>radula</i> ,	G. 2.	Multifid-leaved in variety,
	21 <i>carnosum</i> ,	G. 2.	Fleshy stalked,
	22 <i>quercifolium</i> ,	G. 2.	Oak leaved in variety,
	23 <i>betulinum</i> ,	G. 2.	Birch do.
	24 <i>capitatum</i> ,	G. 2.	Rose-scented in variety,
	25 <i>cucullatum</i> ,	G. 2.	Hooded do.
	26 <i>vitifolium</i> ,	G. 2.	Balm scented,
	27 <i>glaucum</i> ,	G. 2.	Spear leaved,
	28 <i>papilionaceum</i> ,	G. 2.	Butter-fly,
	29 <i>peltatum</i> ,	G. 2.	Peltated,
	30 <i>lateripes</i> ,	G. 2.	Ivy leaved,
	31 <i>senecioides</i> ,	G. 2.	Small white-flowering,
	<i>zon-var</i> ,	G. 2.	Variegated,
 Besides the above thirty one species and their varieties I have got a great variety of <i>new</i> and <i>elegant</i> sorts.			
Phlomis,		14: 1.	Jerusalem sage or sage-
1 <i>purpurea</i> ,		G. 2.	Purple Portugal, [tree,
2 <i>leonurus</i> ,		G. 2.	Narrow-leaved lion's tail,
Phaseolus,		17: 4.	Kidney bean,
1 <i>lathyroides</i> ,		S.	Blood-red-flowering,
2 <i>sarinus</i> , or <i>rosea</i> ,		S.	Rose-coloured do.
Pentapetes,		16: 5.	Pentapetes,
1 <i>phænicea</i> ,		S. ☉.	Scarlet-flowering,
Plumbago,			Lead wort,
1 <i>zeylanica</i> ,		G. 2.	Ceylon,
2 <i>rosea</i> ,		G. 2.	Red-flowering,
Plumeria,		5: 1.	Plumeria,
1 <i>alba</i> ,		S. 2.	White,
Phillyria,		2: 1.	Phillyrea or mock-privet
1 <i>oleaefolia</i> ,		2.	Olive leaved,
2 <i>rosmarinifolia</i> ,		2.	Rosemary do.
3 <i>spinosa</i> ,		2.	Prickley-broad do.

GENERIC.	SPECIFIC.	CL. OR.	ENGLISH NAMES.
Protea,		4: 1.	Silver-tree,
1 <i>argentea</i> ,		G. h.	Silvery,
Prunus,		12: 1.	Laurel,
1 <i>lusitanica</i> ,		G. h.	Portugal,
2 <i>Lauro Cerasus</i> ,		G. h.	English,
Punica,		12: 1.	Pomegranate-tree,
1 <i>nana</i> ,		G. h.	Dwarf,
2 <i>granatum</i> ,		G. h.	Common,
β <i>floribus plenis</i> ,		G. h.	Double-flowering,
Psidium,		12: 1.	Guava,
1 <i>aromaticum</i> ,		G. h.	Aromatic,
Quassia,		10: 1.	Quassia,
1 <i>amara</i> ,		S. h.	Bittre,
Rhamnus,	[lius,	5: 1.	
1 <i>alaternus, angustifo.</i>			Jagged leaved Alaternus,
β <i>aureo-var.</i>			Gold striped-leaved do.
Bobinia, <i>coccinea</i> ,		17: 4.	Scarlet robinia,
Ruscus,		5: 1.	Butcher's broom,
1 <i>androgynus</i> ,		G. h.	Climbing,
Salvia,		2: 1.	Sage,
1 <i>coccinea</i> ,		S. h.	Scarlet-flowering,
Sapindus,		8: 3.	Soap-berry-tree,
1 <i>rigidus</i> ,		G. h.	Ash-leaved,
Sempervivum,		11: 6.	House-leek,
1 <i>arboreum</i> ,		O. h.	Tree,
Solanum,		5: 1.	Night-shade,
1 <i>fruticosum</i> ,		G. h.	Shrubby stalked,
Sparrmannia,		13: 1.	Sparrmannia,
1 <i>Africana</i> ,		G. h.	African,
Tamarindus,		16: 1.	Tamarind-tree,
1 <i>indica</i> ,		S. h.	Tamarind-tree,
Thea,		13: 1.	Tea-tree,
1 <i>thea-viridis</i> ,		G. h.	Green,
β <i>thea-bohea</i> ,		G. h.	Bohea,
Triumphetta,		11: 1.	Triumfetta,
1 <i>lappula</i> ,		S. h.	Jamaican,
Vangueria,		5: 1.	Vangueria,
1 <i>edulis</i> ,		G. h.	Oval leaved,
Verbena,		2: 1.	Vervain,
1 <i>triphylla</i> ,		G. h.	Three leaved,
2 <i>lappulacea</i> ,		G. 2/.	Burry,
Westeringia,		14: 1.	Westeringia,
rosmariniformis.		G. h.	Rosemary formed.
Witheringia,		4: 1.	Witheringia,
1 <i>solanacea</i> ,		S. 2/.	Yellow flowering,
Xeranthemum,		19: 2.	In variety,